

# Assembly instructions

## Parco Furniture series

### List of contents

Product Overview – Parco Furniture Series s. 2-3

#### Assembly and Dimension Specifications


Parco Chair and Armchair	s. 4
Parco Chair and Armchair with Attaché Table	s. 5
Parco Lounge Chair	s. 6
Parco Stool and Barstool	s. 7
Parco Children's Chair	s. 8
Parco Sofa	s. 9
Parco Bench	s. 10
Parco Round Tables	s. 11
Parco Conference Table	s. 12
Parco Rectangular Tables	s. 13
Parco Junior Chair and Table	s. 14

Furnishing with Round Tables s. 15

Furnishing with Rectangular Tables s. 16

Surface Mounting s. 17

In-Ground Mounting s. 18




# Parco Furniture series

## Product overview

Ritad av Joachim Henriksson  
Ritad datum 2024-03-21

Ö19-20 Parco Chair  
Ö19-22 Parco Swivel chair



Ö19-20A Parco Armchair  
Ö19-22A Parco Swivel armchair



Ö19-20/30 Parco Side table  
Ö19-22/30CARR Tabletop in Carrara marble



Ö19-18 Parco Lounge chair  
Ö19-19 Parco Swivel Lounge chair




Ö19-20B Parco Junior Chair



Ö19-21 Parco Stool  
Ö19-23 Parco Swivel stool




Ö19-21B Parco Bar stool  
Ö19-23B Parco Swivel Bar stool




Ö19-29 Parco Child's chair  
Ö19-29S Parco Swivel Child's chair



Ö19-26 Parco Park bench  
Ö19-26A Parco Park bench with armrest



Ö19-27 Parco Bench




# Parco Furniture series


## Product overview

Ritad av Joachim Henriksson  
Ritad datum 2024-03-21


**Ö19-24/123** Parco  
Round table 123 cm




**Ö19-24/66** Parco  
Round table 66 cm




**Ö19-28** Parco Bar  
table 66 cm




**Ö19-16** Parco  
Conference table




**Ö19-25** Parco  
Rectangular table



**Ö19-25B** Parco Junior  
Rectangular table




**Ö19-25S** Parco  
Rectangular bar table



# Parco Chair and Armchair

## Product information

Ritad av Joachim Henriksson  
Ritad datum 2024-03-21



- Ö19-20 Parco Chair
- Ö19-22 Parco Chair with Swivel Function
- Ö19-20A Parco Armchair
- Ö19-22A Parco Armchair with Swivel Function

**M** for In-Ground Mounting – The armchair is equipped with an extended leg that is cast 400 mm into the ground.

**N** for Surface Mounting – The armchair is equipped with a wide base plate that is bolted to the ground.

### Assembly Instructions



Turn the chair or armchair upside down, ensuring that the wood is protected. Attach the frame to the seat shell using the four included screws and washers (MK6S M10x16 + FBB M10). Use an H6 hex key.

For in-ground mounting, ensure that the top edge of the front board is positioned approximately 455 mm above the finished surface.

# Parco Chair with Side table

## Product information

Ritad av Joachim Henriksson  
Ritad datum 2024-03-21



**Ö19-20/30** Parco Side Table for Chair or Armchair

**Ö19-20/30CARR** Tabletop in Carrara Marble (delivered pre-glued to the table).

### Assembly Instructions

The Parco side table is available for the Parco Chair and Parco Armchair. It can also be mounted on the swivel chair or armchair; however, this will reduce the table's stability. A fixed chair or armchair is therefore recommended when possible.


The side table is mounted using three countersunk M8 x 40 screws.

Note! In its standard design, the seat shell does not have pre-threaded holes for table mounting. Therefore, it is not possible to retrofit a table onto an existing chair.

# Parco Lounge chair

## Product information

Ritad av Joachim Henriksson  
Ritad datum 2024-03-21



Ö19-18 Parco Lounge Chair  
Ö19-19 Parco Lounge Chair with  
Swivel Function

**M** for In-Ground Mounting – The chair is equipped with an extended leg that is cast 400 mm into the ground.

**N** for Surface Mounting – The chair is equipped with a wide base plate that is bolted to the ground.

### Assembly Instructions


Turn the lounge chair upside down, ensuring that the wood is protected. Attach the frame to the seat shell using the included screws and washers (MK6S M10x16 + FBB M10). Use an H6 hex key.

For in-ground mounting, ensure that the top edge of the front board is positioned approximately 460 mm above the finished ground surface.

# Parco Stool and Bar stool

## Product information

Ritad av Joachim Henriksson  
Ritad datum 2024-03-21



- Ö19-21 Parco Stool
- Ö19-23 Parco Stool with Swivel Function
- Ö19-21B Parco Bar Stool
- Ö19-23B Parco Bar Stool with Swivel Function

**M** for In-Ground Mounting – The stool is equipped with an extended leg that is cast 400 mm into the ground.

**N** for Surface Mounting – The stool is equipped with a wide base plate that is bolted to the ground.

### Assembly Instructions


Turn the stool upside down, ensuring that the wood is protected. Attach the frame to the seat shell using the included screws and washers (MK6S M10x16 + FBB M10). Use an H6 hex key.

For in-ground mounting, ensure that the top edge of the front board is positioned approximately 450 mm for the stool, and 78 mm for the bar stool, above the finished ground surface.

# Parco Child's chair

## Product information

Ritad av Joachim Henriksson  
Ritad datum 2024-03-21



**Ö19-29** Parco Children's Chair  
**Ö19-29S** Parco Children's Chair with Swivel Function

**M** for In-Ground Mounting – The chair is equipped with an extended leg that is cast 300 mm into the ground.

**N** for Surface Mounting – The chair is equipped with a wide base plate that is bolted to the ground.

### Assembly Instructions



Turn the children's chair upside down, ensuring that the wood is protected. Attach the frame to the seat shell using the included screws and washers (MK6S M10x16 + FBB M10). Use an H6 hex key.

For in-ground mounting, the hole depth should be 400 mm instead of 500 mm, as used for other furniture in the series. The top edge of the front board on the children's chair should be positioned approximately 557 mm above the finished ground surface.

# Parco Park bench

## Product information

Ritad av Joachim Henriksson  
Ritad datum 2024-03-21



### Ö19-26 Parco Park Bench

### Ö19-26A Parco Park Bench with Armrests


**M** for In-Ground Mounting – The park bench is equipped with an extended leg that is cast 400 mm into the ground.

**N** for Surface Mounting – The park bench is equipped with a wide base plate that is bolted to the ground.

### Assembly Instructions

Turn the park bench upside down, ensuring that the wood is protected. Attach the frame to the seat shell using the included screws and washers (MK6S M10x16 + FBB M10). Use an H6 hex key.



For in-ground mounting, the center-to-center distance between the holes should be 950 mm. The top edge of the front board on the park bench should be positioned approximately 465 mm above the finished ground surface.



# Parco Bench

## Product information

Ritad av Joachim Henriksson  
Ritad datum 2024-03-21



### Ö19-27 Parco Bench

**M** for In-Ground Mounting – The bench is equipped with an extended leg that is cast 400 mm into the ground.

**N** for Surface Mounting – The bench is equipped with a wide base plate that is bolted to the ground.

### Assembly Instructions

Turn the bench upside down, ensuring that the wood is protected. Attach the frame to the seat shell using the included screws and washers (MK6S M10x16 + FBB M10). Use an H6 hex key.

For in-ground mounting, the center-to-center distance between the holes should be 940 mm. The top edge of the front board on the bench should be positioned approximately 465 mm above the finished ground surface.

# Parco Round table

## Product information

Ritad av Joachim Henriksson  
Ritad datum 2024-03-21

Ö19-24/66 Parco Round Table  $\varnothing$  660 mm  
Ö19-24/123 Parco Round Table  $\varnothing$  1230 mm  
Ö19-28 Parco Round Bar Table  $\varnothing$  660 mm



**M** for In-Ground Mounting – The table is equipped with an extended leg that is cast 400 mm into the ground.  
**N** for Surface Mounting – The table is equipped with a wide base plate that is bolted to the ground.

### Assembly Instructions

The round table  $\varnothing$  660 mm is delivered pre-assembled.  
The round table  $\varnothing$  1230 mm is delivered unassembled.

Turn the tabletop upside down, ensuring that the wood is protected. Attach the frame to the tabletop using the four included MK6S M10 x 16 screws and M10 washers.


For in-ground mounting, ensure that the tabletop is positioned approximately 720 mm above the finished ground surface, and 1100 mm above the finished ground surface for the standing table.



# Parco Conference table

## Product information

Ritad av Joachim Henriksson  
Ritad datum 2024-03-21



### Ö19-16 Parco Conference Table


**M** for In-Ground Mounting – The table is equipped with an extended leg that is cast 400 mm into the ground.

**N** for Surface Mounting – The table is equipped with a wide base plate that is bolted to the ground.

### Assembly Instructions

All rectangular tables are assembled in the same manner. Turn the table upside down, ensuring that the wood is protected. Attach the frame to the tabletop using the included screws and washers.



For in-ground mounting, ensure that the center-to-center distance between the holes is 950 mm. The tabletop should be positioned approximately 720 mm above the finished ground surface.



# Parco Rectangular table

## Product information

Ritad av Joachim Henriksson  
Ritad datum 2024-03-21



### Ö19-25 Parco Rectangular Table Ö19-25S Parco Rectangular Bar Table

**M** for In-Ground Mounting – The table is equipped with an extended leg that is cast 400 mm into the ground.

**N** for Surface Mounting – The table is equipped with a wide base plate that is bolted to the ground.

### Assembly Instructions


All rectangular tables are assembled in the same manner. Turn the table upside down, ensuring that the wood is protected. Attach the frame to the tabletop using the included screws and washers.

For in-ground mounting, ensure that the center-to-center distance between the holes is 950 mm. The tabletop should be positioned approximately 720 mm above the finished ground surface, and 1100 mm above the finished ground surface for the bar table.

# Parco Junior Chair and Table

## Product information

Ritad av Joachim Henriksson  
Uppdaterad 2025-03-03



### Ö19-20B Parco Junior Chair Ö19-25B Parco Junior Table

**M** for In-Ground Mounting – The furniture is equipped with an extended leg that is cast 400 mm into the ground.

**N** for Surface Mounting – The furniture is equipped with a wide base plate that is bolted to the ground.

#### Assembly Instructions Table

All rectangular tables are assembled in the same manner. Turn the table upside down, ensuring that the wood is protected.

Attach the frame to the tabletop using the included screws and washers.


#### Assembly Instructions Chair

Turn the chair upside down, ensuring that the wood is protected.

Attach the frame to the seat shell using the four included screws and washers (MK6S M10x16 + FBB M10). Use an H6 hex key.

# Parco Round table Furnishing


Ritad av Joachim Henriksson  
Ritad datum 2024-03-21




## Furnishing

For assembly in combination with a table and chair, we recommend a center-to-center distance between the table's central post and the chair's frame of at least 680 mm (970 mm for the large table). This is particularly important for the swivel chair, ensuring that the backrest does not hit the tabletop.

To allow chairs and lounge chairs to swivel freely without interfering with each other, a minimum center-to-center distance of 700 mm (809 mm for lounge chairs) is required.



# Parco Rectangular table Furnishing




## Furnishing

For assembly in combination with a table and chair or armchair, we recommend a center-to-center distance between the table's center post and the chair's frame of at least 705 mm (855 mm for the conference table).

For assembly in combination with a table and lounge chair, we recommend a center-to-center distance between the table's center post and the chair's frame of at least 715 mm (865 mm for the conference table). This is particularly important for the swivel chair, ensuring that the backrest does not hit the tabletop.


To allow chairs and armchairs to swivel freely without interfering with each other, a minimum center-to-center distance of 700 mm (809 mm for lounge chairs) is required.



# Parco Furniture series

## Placement above ground

Ritad av Joachim Henriksson  
Ritad datum 2024-03-21



### Surface Mounting

The furniture in the series is equipped with base plates that have holes for mounting with M10 screws.

### Placement on Wooden Surfaces

Pre-drill and mount with French wood screws into the wooden base.

### Placement on Cobblestones or Paving Slabs


Cast the slabs in concrete. There should be no sand between the slabs and the concrete. Drill the slab for an expansion or chemical anchor.

### Placement on Concrete or Stone Blocks, etc.

Mount with a chemical anchor or expansion anchor as described above. Placement with an expansion anchor provides a removable fastening, while placement with a chemical anchor provides a permanent fastening.

# Parco Furniture series

## Placement in ground



### In-Ground Mounting

Dig a hole for each leg with a diameter of approximately 500 mm. Dig to frost-free depth.

### In-Ground Mounting Order

1. Dig a hole for each leg with a diameter of approximately 400 mm. Dig to frost-free depth and add frost-resistant material, so that the depth is approximately 500 mm.
  2. Position the furniture with the leg or legs in the dug holes. Support the furniture both vertically and horizontally.
- Refer to the individual product's information page for the measurement above the ground surface.
3. Cast the leg into the ground with concrete. The concrete should not reach all the way up to the surface, but should stop about 50 mm below the surface.
  4. Refill the ground and complete the surface.